

# AUTOMATIC SEWING SYSTEMS

AUTOMATIC SYSTEM FOR ELASTIC BAND SEAMING ON "ONE  
PIECE" PANTYHOSE AND HOLD-UPS

OP SMART



## AUTOMATIC SEWING SYSTEMS

### OP SMART

Automatic system for elastic band seaming on "ONE PIECE" pantyhose and hold-ups.

---

# AUTOMATIC SEWING SYSTEMS


## OP SMART

Specification	Value
Air pressure	6 bar
Air consumption	200 NI/min
Absorbed power	2 Kw
Max. Production	35 Dz/hr

Features
Patented seaming system Santoni FlatLock
Working with "ready to use" elastic bands produced on Santoni Seamless knitting machines
•Option for automatic linking to a toe closer
Elastic band application also on pantyhose coming from warp knitting

Applicazioni: Underwear, Sportswear, Swimwear, Medical Textiles, Technical Textiles.


## SANTONI FLATLOCK SEAMING



### DISCLAIMER:

Technical data given in this brochure are for information only. Santoni S.p.A. reserves the right to modify the machine features without forewarning and without the obligation to apply any modification to the machines already installed. Pictures are exemplifying and have not to be regarded as a reference.

Santoni is recommending needles from  
**GROZ-BECKERT®**





**SANTONI SPA**

Via Carlo Fenzi, 14 - 25135 Brescia - Italy  
Tel. +39 030 376711 Fax +39 030 3767400  
P.IVA e CF: IT 00273280172  
info@santoni.com - www.santoni.com