

AUTOMATIC SEWING SYSTEMS

AUTOMATIC TOE CLOSER FOR KNEE-HIGHS AND STOCKINGS

TC 10









AUTOMATIC SEWING SYSTEMSTC 10

Automatic Toe Closer for knee-highs and stockings. The simplicity of operation facilitates the installation and the use of the machine, enhances reliability and reduces operation and maintenance costs.

"Santoni Toe Closer" offers a great flexibility with the possibility to shape the toe of a wide range of products (from small women's socks to large single legs of pantyhose).

Machine can be equipped with optional kits like the heel/ toe positioning device and the body slitting device and it is also designed for the connection with the automatic loader P&P-SG.

AUTOMATIC SEWING SYSTEMS

Specification	Value
Pressione aria	6 bar
Consumo aria	200 NI/min
Energia assorbita	3 Kw
Tempo di ciclo min.	2 Sec.
Produzione massima	75 Dz/hr (pair)

Features Features	
PLC for the electronic control of all main functions of the seaming cycle	
Electronic self-diagnosis with visualized errors or malfunctions	
Touch-screen display for the machine setting with possibility to store different sewing programs	
Qty. 10 sewing tubes with interchangeable blades	
•Toe shaping by means of a toothed belt with adjustable profile	

Optionals	
Sewing head with twin needles	
Toe positioning kit with color detector	
Double unloading bag with switching valve	
Possibility to use a Pick & Place for the automatic loading	
Heel/toe positioning kit	
Slitting device	

Applications: Underwear, Sportswear, Swimwear, Medical Textiles, Technical Textiles.









