

AUTOMATIC SEWING SYSTEMS

AUTOMATIC TOE CLOSER FOR KNEE-HIGHS AND STOCKINGS

TC 10









AUTOMATIC SEWING SYSTEMSTC 10

Automatic Toe Closer for knee-highs and stockings. The simplicity of operation facilitates the installation and the use of the machine, enhances reliability and reduces operation and maintenance costs.

"Santoni Toe Closer" offers a great flexibility with the possibility to shape the toe of a wide range of products (from small women's socks to large single legs of pantyhose).

Machine can be equipped with optional kits like the heel/ toe positioning device and the body slitting device and it is also designed for the connection with the automatic loader P&P-SG.

AUTOMATIC SEWING SYSTEMS

Specification	Value
Pressione aria	6 bar
Consumo aria	200 NI/min
Energia assorbita	3 Kw
Tempo di ciclo min.	2 Sec.
Produzione massima	75 Dz/hr (pair)

Features Features	
PLC for the electronic control of all main functions of the seaming cycle	
Electronic self-diagnosis with visualized errors or malfunctions	
Touch-screen display for the machine setting with possibility to store different sewing programs	
Qty. 10 sewing tubes with interchangeable blades	
•Toe shaping by means of a toothed belt with adjustable profile	

Optionals Control of the Control of	
Sewing head with twin needles	
Toe positioning kit with color detector	
Double unloading bag with switching valve	
Possibility to use a Pick & Place for the automatic loading	
Heel/toe positioning kit	
Slitting device	

Applications: Underwear, Sportswear, Swimwear, Medical Textiles, Technical Textiles.









